Nuclear Engineering and Design 136 (1992) 413–415
North-Holland

Author Index to Volume 136

Albisu, F., S.F. Garribba, J.C. Lefevre, D. Leuchs and C. Vivante, Market prospects of modular HTR in EEC countries 136 (1992) 179
Anders, D. and J. Föhl, Investigation on cyclic crack growth behaviour of reactor pressure vessel steels placed and loaded in the core region of an operating boiling water reactor 136 (1992) 265

Barnert, H., see Singh, J. 136 (1992) 51
Bartak, J., see Garland, W.J. 136 (1992) 381
Beine, B., V. Kaminski and W. von Lensa, Integrated design of prestressed cast-iron pressure vessel and passive heat removal system for the reactor cell of a 200 MWth modular reactor 136 (1992) 135
Boardman, C.E., see Kwant, W. 136 (1992) 111
Bodansky, D., Global warming and nuclear power 136 (1992) 7
Bradbury, R.B., see Matzie, R.A. 136 (1992) 73
Braun, C., see Salerno, L.N. 136 (1992) 205
Brogli, R., see Foskolos, K. 136 (1992) 43

Cardito, J., see Dunn, T. 136 (1992) 57
Carvajal-Osorio, H., An advanced nuclear power plant for heavy oil exploitation in the Venezuelan Orinoco Oil Belt 136 (1992) 219
Changwen, M., see Dazhong, W. 136 (1992) 91
Chen, N.C.J., see Yoder, G.L. 136 (1992) 401
Chou, S.I. and M. Shamas-Ahmadi, Complex variable boundary element method for torsion of hollow shafts 136 (1992) 255
Cizek, J., see Garland, W.J. 136 (1992) 381
Cunliffe, J., see Dunn, T. 136 (1992) 57

Dastidar, P. and K.V.M. Rao, Construction and operational experience with small and medium power reactors and expected improvements 136 (1992) 121
Date, A.W., see Vijayan, P.K. 136 (1992) 361
Dazhong, W., M. Changwen, D. Duo and L. Jiagui, Chinese nuclear heating test reactor and demonstration plant 136 (1992) 91
Doroszlai, P. and Z. Révész, Process enhanced ultimate safety with the Geyser system 136 (1992) 85
Doroszlai, P., see Révész, Z. 136 (1992) 237
Dunn, T., J. Cardito and J. Cunliffe, Perspectives of modular high temperature gas-cooled reactor (MHTGR) on effluent management and siting 136 (1992) 57
Duo, D., see Dazhong, W. 136 (1992) 91

Felde, D.K., see Yoder, G.L. 136 (1992) 401
Föhl, J., see Anders, D. 136 (1992) 265
Ford, I.J., Axial crack propagation in fuel pin cladding tubes 136 (1992) 243
Foskolos, K. and R. Brogli, Prospects of SMSNR development in Switzerland and the influence of the evolution of district heating networks 136 (1992) 43
Fulkerson, W. and J.E. Jones Jr., CO_2 and the world energy system: the role of nuclear power 136 (1992) 23
Furukawa, K., K. Mitachi and Y. Kato, Small molten-salt reactors with a rational thorium fuel-cycle 136 (1992) 157

Garland, W.J., R.J. Wilson, J. Bartak, J. Cizek, M. Stasny and I. Zentrich, Extensions to the approximation functions for the fast calculation of saturated water properties 136 (1992) 381
Garribba, S.F., see Albisu, F. 136 (1992) 179
Goetzmann, C.A. and W. Grüner, SBWR 200, a low-cost NPP with high inherent safety features 136 (1992) 65
Goodjohn, A.J. and J. Kupitz, Trends in nuclear power reactor design and technology 136 (1992) 35
Griggs, D.P., see Hanson, R.G. 136 (1992) 335
Grüner, W., see Goetzmann, C.A. 136 (1992) 65

Hanson, R.G., G.E. Wilson, M.G. Ortiz and D.P. Griggs, Development of a phenomena identification and ranking table (PIRT) for a postulated double-ended guillotine break in a production reactor 136 (1992) 335
Hayashi, T., see Tadokoro, Y. 136 (1992) 211
Hayns, M.R., see Matzie, R.A. 136 (1992) 73
Hewitt, J.S. and A.F. Oliva, Progress in design and verification of the AMPS nuclear-electric plant 136 (1992) 99
Hoffman, D.P. and L.D. Mears, Outlook for MHTGR project development 136 (1992) 201
Hutchins, B.A., see Salerno, L.N. 136 (1992) 205

0029-5493/92/$05.00 © 1992 – Elsevier Science Publishers B.V. All rights reserved

Jiagui, L., see Dazhong, W. 136 (1992) 91
Jones Jr., J.E., see Fulkerson, W. 136 (1992) 23

Kaminski, V., see Beine, B. 136 (1992) 135
Kang, H.C. and M.H. Kim, Measurement of three-dimensional wave form and interfacial area in an air–water stratified flow 136 (1992) 347
Kato, Y., see Furukawa, K. 136 (1992) 157
Kim, M.H., see Kang, H.C. 136 (1992) 347
Kochan, R., see Wilson, G.E. 136 (1992) 319
Koomanoff, F.A., Energy the enabler, in our changing world 136 (1992) 17
Kozier, K.S., The Nuclear Battery: a very small reactor power supply for remote locations 136 (1992) 149
Kroeger, P., see Wilson, G.E. 136 (1992) 319
Kugeler, K., P.-W. Phlippen, P. Schmidtlein and R. Swatoch, Passive heat removal from the core of small and medium sized pebble bed reactors 136 (1992) 143
Kupitz, J., see Goodjohn, A.J. 136 (1992) 35
Kwant, W. and C.E. Boardman, PRISM–liquid metal cooled reactor plant design and performance 136 (1992) 111

Lefevre, J.C., see Albisu, F. 136 (1992) 179
Leuchs, D., see Albisu, F. 136 (1992) 179
Liebelt, K., see Wilson, G.E. 136 (1992) 319
Lommers, L., see Wilson, G.E. 136 (1992) 319
Longo, J., see Matzie, R.A. 136 (1992) 73

Matsui, K., see Uchiyama, M. 136 (1992) 195
Matzie, R.A., J. Longo, R.B. Bradbury, K.R. Teare and M.R. Hayns, Design of the Safe Integral Reactor 136 (1992) 73
Mears, L.D., see Hoffman, D.P. 136 (1992) 201
Miller, B.G., see Wilson, G.E. 136 (1992) 319
Mills, L.E., Electricity as America enters the 21st Century 136 (1992) 1
Mitachi, K., see Furukawa, K. 136 (1992) 157

Nelson, R. and C. Unal, A phenomenological model of the thermal hydraulics of convective boiling during the quenching of hot rod bundles. Part I: Thermal hydraulic model 136 (1992) 277
Nelson, R., see Unal, C. 136 (1992) 299
Nelson, W.R., see Yoder, G.L. 136 (1992) 401

Oliva, A.F., see Hewitt, J.S. 136 (1992) 99
Olszewski, M., see Wilson, G.E. 136 (1992) 319
Ortiz, M.G., see Hanson, R.G. 136 (1992) 335

Pawel, R.E., see Yoder, G.L. 136 (1992) 401
Pedersen, T., PIUS – status and perspectives 136 (1992) 167
Phlippen, P.-W., see Kugeler, K. 136 (1992) 143

Rao, K.V.M., see Dastidar, P. 136 (1992) 121
Révész, Z. and P. Doroszlai, Technical and economical efficiency of energy generation with the Geyser system 136 (1992) 237
Révész, Z., see Doroszlai, P. 136 (1992) 85

Salerno, L.N., M.L. Thompson, B.A. Hutchins and C. Braun, ALMR fuel cycle economics 136 (1992) 205
Sato, O., see Tadokoro, Y. 136 (1992) 211
Schad, M.K., Utilization of process heat from the HTRM in the chemical and related industries 136 (1992) 229
Schmidtlein, P., see Kugeler, K. 136 (1992) 143
Shamas-Ahmadi, M., see Chou, S.I. 136 (1992) 255
Singh, J. and H. Barnert, New perspectives and pre-feasibility results of the process heat HTR work 136 (1992) 51
Stasny, M., see Garland, W.J. 136 (1992) 381
Sugnet, W.R., see Yedidia, J.M. 136 (1992) 187
Swatoch, R., see Kugeler, K. 136 (1992) 143

Tadokoro, Y., O. Sato, S. Yasukawa and T. Hayashi, Future potential of nuclear heat utilization in energy, economy and environment 136 (1992) 211
Takahashi, R., see Tamaoki, T. 136 (1992) 389
Taketani, K., Nuclear safety and its deployment for human beings 136 (1992) 29
Tamaoki, T. and R. Takahashi, Simulation of fast breeder reactor noise based on two-channel core model 136 (1992) 389
Teare, K.R., see Matzie, R.A. 136 (1992) 73
Theymann, W., Status and prospects of the HTR 500 based on the THTR 300 operation experience and recent R&D-work 136 (1992) 127
Thompson, M.L., see Salerno, L.N. 136 (1992) 205

Uchiyama, M., K. Matsui and K. Yokoshiki, Needs and potential applications of small and medium-sized light water reactors in Japan 136 (1992) 195
Unal, C. and R. Nelson, A phenomenological model of the thermal-hydraulics of convective boiling during the quenching of hot rod bundles. Part II: Assessment of the model with steady-state and transient post-CHF data 136 (1992) 299
Unal, C., see Nelson, R. 136 (1992) 277

Vijayan, P.K. and A.W. Date, The limits of conditional stability for single-phase natural circulation with throughflow in a figure-of-eight loop 136 (1992) 361
Vivante, C., see Albisu, F. 136 (1992) 179
von Lensa, W., see Beine, B. 136 (1992) 135

Wadsworth, D.C., see Wilson, G.E. 136 (1992) 319
Wilson, G.E., D.C. Wadsworth, B.G. Miller, L. Lommers, P. Kroeger, M. Olszewski, R. Kochan and K. Liebelt, Phenomena-based thermal-hydraulic modeling requirements for systems analysis of a Modular High Temperature Gas-Cooled Reactor 136 (1992) 319
Wilson, G.E., see Hanson, R.G. 136 (1992) 335
Wilson, R.J., see Garland, W.J. 136 (1992) 381
Yasukawa, S., see Tadokoro, Y. 136 (1992) 211
Yedidia, J.M. and W.R. Sugnet, Utility requirements for advanced LWR passive plants 136 (1992) 187
Yoder, G.L., N.C.J. Chen, D.K. Felde, W.R. Nelson and R.E. Pawel, The effect of aluminum corrosion on the Advanced Neutron Source Reactor fuel design 136 (1992) 401
Yokoshiki, K., see Uchiyama, M. 136 (1992) 195
Zentrich, I., see Garland, W.J. 136 (1992) 381

Nuclear Engineering and Design 136 (1992) 417–418
North-Holland

Subject Index to Volume 136

Thermal and fluid design

A phenomenological model of the thermal hydraulics of convective boiling during the quenching of hot rod bundles. Part I: Thermal hydraulic model, R. Nelson and C. Unal 136 (1992) 277

A phenomenological model of the thermal-hydraulics of convective boiling during the quenching of hot rod bundles. Part II: Assessment of the model with steady-state and transient post-CHF data, C. Unal and R. Nelson 136 (1992) 299

Phenomena-based thermal-hydraulic modeling requirements for systems analysis of a Modular High Temperature Gas-Cooled Reactor, G.E. Wilson, D.C. Wadsworth, B.G. Miller, L. Lommers, P. Kroeger, M. Olszewski, R. Kochan and K. Liebelt 136 (1992) 319

Development of a phenomena identification and ranking table (PIRT) for a postulated double-ended guillotine break in a production reactor, R.G. Hanson, G.E. Wilson, M.G. Ortiz and D.P. Griggs 136 (1992) 335

Measurement of three-dimensional wave form and interfacial area in an air–water stratified flow, H.C. Kang and M.H. Kim 136 (1992) 347

The limits of conditional stability for single-phase natural circulation with through-flow in a figure-of-eight loop, P.K. Vijayan and A.W. Date 136 (1992) 361

Extensions to the approximation functions for the fast calculation of saturated water properties, W.J. Garland, R.J. Wilson, J. Bartak, J. Cizek, M. Stasny and I. Zentrich 136 (1992) 381

Engineering mechanics

Axial crack propagation in fuel pin cladding tubes, I.J. Ford 136 (1992) 243

Complex variable boundary element method for torsion of hollow shafts, S.I. Chou and M. Shamas-Ahmadi 136 (1992) 255

Investigation on cyclic crack growth behaviour of reactor pressure vessel steels placed and loaded in the core region of an operating boiling water reactor, D. Anders and J. Föhl 136 (1992) 265

The effect of aluminum corrosion on the Advanced Neutron Source Reactor fuel design, G.L. Yoder, N.C.J. Chen, D.K. Felde, W.R. Nelson and R.E. Pawel 136 (1992) 401

Materials properties

Investigation on cyclic crack growth behaviour of reactor pressure vessel steels placed and loaded in the core region of an operating boiling water reactor, D. Anders and J. Föhl 136 (1992) 265

Mechanical design, component fabrication and testing

Integrated design of prestressed cast-iron pressure vessel and passive heat removal system for the reactor cell of a 200 MWth modular reactor, B. Beine, V. Kaminski and W. von Lensa 136 (1992) 135

Simulation of fast breeder reactor noise based on two-channel core model, T. Tamaoki and R. Takahashi 136 (1992) 389

Reactor concepts and systems analysis

Trends in nuclear power reactor design and technology, A.J. Goodjohn and J. Kupitz 136 (1992) 35

Prospects of SMSNR development in Switzerland and the influence of the evolution of district heating networks, K. Foskolos and R. Brogli 136 (1992) 43

New perspectives and pre-feasibility results of the process heat HTR work, J. Singh and H. Barnert 136 (1992) 51

Perspectives of modular high temperature gas-cooled reactor (MHTGR) on effluent management and siting, T. Dunn, J. Cardito and J. Cunliffe 136 (1992) 57

SBWR 200, a low-cost NPP with high inherent safety features, C.A. Goetzmann and W. Grüner 136 (1992) 65

Design of the Safe Integral Reactor, R.A. Matzie, J. Longo, R.B. Bradbury, K.R. Teare and M.R. Hayns 136 (1992) 73

Process enhanced ultimate safety with the Geyser system, P. Doroszlai and Z. Révész 136 (1992) 85

Chinese nuclear heating test reactor and demonstration plant, W. Dazhong, M. Changwen, D. Duo and L. Jiagui 136 (1992) 91
Progress in design and verification of the AMPS nuclear-electric plant, J.S. Hewitt and A.F. Oliva 136 (1992) 99
PRISM–liquid metal cooled reactor plant design and performance, W. Kwant and C.E. Boardman 136 (1992) 111
Construction and operational experience with small and medium power reactors and expected improvements, P. Dastidar and K.V.M. Rao 136 (1992) 121
The Nuclear Battery: a very small reactor power supply for remote locations, K.S. Kozier 136 (1992) 149
Small molten-salt reactors with a rational thorium fuel-cycle, K. Furukawa, K. Mitachi and Y. Kato 136 (1992) 157
PIUS – status and perspectives, T. Pedersen 136 (1992) 167
Utility requirements for advanced LWR passive plants, J.M. Yedidia and W.R. Sugnet 136 (1992) 187
Needs and potential applications of small and medium-sized light water reactors in Japan, M. Uchiyama, K. Matsui and K. Yokoshiki 136 (1992) 195
Outlook for MHTGR project development, D.P. Hoffman and L.D. Mears 136 (1992) 201
An advanced nuclear power plant for heavy oil exploitation in the Venezuelan Orinoco Oil Belt, H. Carvajal-Osorio 136 (1992) 219
Technical and economical efficiency of energy generation with the Geyser system, Z. Révész and P. Doroszlai 136 (1992) 237

Miscellaneous

Global warming and nuclear power, D. Bodansky 136 (1992) 7
Energy the enabler, in our changing world, F.A. Koomanoff 136 (1992) 17
CO_2 and the world energy system: the role of nuclear power, W. Fulkerson and J.E. Jones Jr. 136 (1992) 23
Needs and potential applications of small and medium-sized light water reactors in Japan, M. Uchiyama, K. Matsui and K. Yokoshiki 136 (1992) 195
Future potential of nuclear heat utilization in energy, economy and environment, Y. Tadokoro, O. Sato, S. Yasukawa and T. Hayashi 136 (1992) 211
Utilization of process heat from the HTRM in the chemical and related industries, M.K. Schad 136 (1992) 229
Electricity as America enters the 21st Century, L.E. Mills 136 (1992) 1
Status and prospects of the HTR 500 based on the THTR 300 operation experience and recent R&D-work, W. Theymann 136 (1992) 127
Market prospects of modular HTR in EEC countries, F. Albisu, S.F. Garribba, J.C. Lefevre, D. Leuchs and C. Vivante 136 (1992) 179

Core physics and fuel design

ALMR fuel cycle economics, L.N. Salerno, M.L. Thompson, B.A. Hutchins and C. Braun 136 (1992) 205
Axial crack propagation in fuel pin cladding tubes, I.J. Ford 136 (1992) 243
The effect of aluminum corrosion on the Advanced Neutron Source Reactor fuel design, G.L. Yoder, N.C.J. Chen, D.K. Felde, W.R. Nelson and R.E. Pawel 136 (1992) 401

Nuclear safety

Nuclear safety and its deployment for human beings, K. Taketani 136 (1992) 29
Integrated design of prestressed cast-iron pressure vessel and passive heat removal system for the reactor cell of a 200 MWth modular reactor, B. Beine, V. Kaminski and W. von Lensa 136 (1992) 135
Passive heat removal from the core of small and medium sized pebble bed reactors, K. Kugeler, P.-W. Phlippen, P. Schmidtlein and R. Swatoch 136 (1992) 143
PIUS – status and perspectives, T. Pedersen 136 (1992) 167
A phenomenological model of the thermal hydraulics of convective boiling during the quenching of hot rod bundles. Part I: Thermal hydraulic model, R. Nelson and C. Unal 136 (1992) 277
A phenomenological model of the thermal-hydraulics of convective boiling during the quenching of hot rod bundles. Part II: Assessment of the model with steady-state and transient post-CHF data, C. Unal and R. Nelson 136 (1992) 299
Phenomena-based thermal-hydraulic modeling requirements for systems analysis of a Modular High Temperature Gas-Cooled Reactor, G.E. Wilson, D.C. Wadsworth, B.G. Miller, L. Lommers, P. Kroeger, M. Olszewski, R. Kochan and K. Liebelt 136 (1992) 319
Development of a phenomena identification and ranking table (PIRT) for a postulated double-ended guillotine break in a production reactor, R.G. Hanson, G.E. Wilson, M.G. Ortiz and D.P. Griggs 136 (1992) 335